

ORIGINAL - GLASS WEDGE BASE -

Original spare part



The cost-effective original spare parts for trucks

The ORIGINAL signal lamps with glass wedge bases are available as original spare parts for different lamp types. Use these original spare parts for interior lighting, as reading lights, for instrument and switch lighting, as position and parking light and a lot of other applications in your truck. Discover these reliable lamps and OSRAM's proven high quality.

Product datasheet

Technical data

Product information

Order reference	2840
Application (Category and Product specific)	Auxiliary lamp


Electrical data

Power input	2.6 W
Nominal voltage	24.0 V
Nominal wattage	2.00 W
Power input tolerance	±15 %
Test voltage	28.0 V

Photometrical data

Luminous flux	13 lm
Luminous flux tolerance	±30 %

Dimensions & weight



Length	26.8 mm
Diameter	10.0 mm
Product weight	1.34 g

Lifespan

Lifespan B3	500 h
Lifespan Tc	5000 h

Additional product data

Base (standard designation)	W2.1x9.5d
-----------------------------	-----------

Product datasheet

Capabilities

Technology	AUX
------------	-----

Certificates & standards

ECE category	-
--------------	---

Country specific categorizations

Order reference	2840
-----------------	------

Country specific information

Product code	METEL code	SEG-No.	STK number	UK Org
4008321094698	OSRA2840	-	4739286	-
4008321094704	OSRA2840	-	4739286	-
4008321094698	OSRA2840	-	4739286	-

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321094698	ORIGINAL - WEDGE BASE 2840	Unpacked 1	28 mm x 10 mm x 10 mm	0.00 dm ³	3.00 g
4008321094704	ORIGINAL - WEDGE BASE 2840	Folding carton box 10	46 mm x 29 mm x 112 mm	0.15 dm ³	24.40 g
4008321094711	ORIGINAL - WEDGE BASE 2840	Shipping carton box 50	148 mm x 115 mm x 55 mm	0.94 dm ³	152.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM