

# SUPER H4

Up to 30% more light



**Up to 30% more light**

For better visibility and shorter reaction times compared to standard halogen lamps



**Enhanced illumination**

For extra confidence



**Convincing price-performance ratio**

For better visibility at a reasonable price



**Up to 30% more light on the road**

SUPER headlight lamps offer more performance for the most important lamp types. With up to 30% more light compared to standard lamps, signs, obstacles and hazards are more rapidly recognized.

# Product datasheet

## Technical data

### Product information

Order reference	64193SUP
Application (Category and Product specific)	Halogen headlight lamp

### Electrical data


Power input	75 / 68 W <sup>1)</sup>
Nominal voltage	12.0 V
Nominal wattage	60/55 W
Test voltage	13.2 V

<sup>1)</sup> Maximum

### Photometrical data

Luminous flux	1700/1075 lm
Luminous flux tolerance	±10 / ±7 %

### Dimensions & weight



Diameter	17.0 mm
Product weight	25.60 g
Length	82.0 mm

### Lifespan

Lifespan B3	150 / 150 h <sup>1)</sup>
Lifespan Tc	350 / 350 h <sup>1)</sup>

<sup>1)</sup> Filament 1 / Filament 2

### Additional product data

Base (standard designation)	P43t
-----------------------------	------

## Product datasheet

### Capabilities

Technology	HAL
------------	-----

### Certificates & standards

ECE category	H4
--------------	----

### Country specific categorizations

Order reference	64193SUP
-----------------	----------

### Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	03-02-2023
Primary Article Identifier	4050300478104   4050300467245   4008321022516
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	In work

### Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4050300467245	OSRA64193SUP	-	-	-
4050300467252	OSRA64193SUP	-	-	-
4050300467245	OSRA64193SUP	-	-	-

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300467245	SUPER H4	Folding carton box 1	47 mm x 47 mm x 71 mm	0.16 dm <sup>3</sup>	34.00 g
4050300467252	SUPER H4	Bundle 10	124 mm x 71 mm x 210 mm	1.85 dm <sup>3</sup>	293.00 g
4050300467269	SUPER H4	Shipping carton box 100	485 mm x 160 mm x 250 mm	19.40 dm <sup>3</sup>	3183.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### Application advice

For more detailed application information and graphics please see product datasheet.

## Product datasheet

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



# OSRAM