


## ROADSIGHT PRO 20

### ROADSight PRO 20



#### Full HD 1296p Resolution at 30 fps

Provides crystal-clear, high-definition video with smooth motion, ensuring every detail of your drive is captured with exceptional clarity, enhancing safety and security on the road



#### Wide-angle 140° field of vision

Offers a wide-angle perspective, capturing more of the road and surroundings in each frame. This enhances your situational awareness and provides comprehensive coverage for a feeling of increased safety and security while driving



#### 2-year OSRAM guarantee<sup>1)</sup>

Systematic quality assurance measures underpin the premium workmanship and functionality of our products. Innovative technology and excellent quality really pay dividends for our customers



#### Lockable Micro SD card slot

Prevents tampering and keeps dash cam footage safe



#### Superior Dashcam with a clear view of every detail

The OSRAM ROADsight PRO 20 Dash Camera stands out as our highest tier product due to its comprehensive set of advanced features and superior performance, even in the front-only variant. It captures high-definition video at 1296p resolution and 30fps, ensuring every detail is recorded with exceptional clarity. The 3" IPS screen provides a clear and vibrant display for easy review of footage and navigation of settings. With a 140° field of view, it offers a wide-angle perspective, capturing more of the road and surroundings for enhanced situational awareness.

This dashcam is suitable for both standard and commercial vehicles, thanks to its 12/24V compatibility. The plug and play connection via 12V simplifies installation, allowing quick setup without complex wiring. It supports up to 128GB SD cards, offering ample storage capacity for extended recording sessions. The G-sensor automatically saves files in the event of a collision, ensuring critical footage is preserved. Parking mode records video for up to 30 seconds when parked.

The HDR function enhances image quality under high contrast conditions, ensuring clear footage in varying

lighting. The built-in microphone and speaker enable audio recording and playback, adding another layer of detail to your recordings. GPS tracks vehicle location and speed, providing valuable data in case of an incident. The trim installation tool facilitates a neat and professional installation, while the USB-C connection ensures fast and reliable data transfer. The 3M adhesive fitting provides a secure and easy mounting solution.

These features collectively make the OSRAM ROADsight PRO 20 Dash Camera a premium choice for those seeking the best in dashcam technology and performance. Its advanced technology, versatility, ease of use, and comprehensive coverage ensure top-tier performance on the road.

Lockable Micro SD card slot prevents tampering and keeps dash cam footage safe.

# Product datasheet

## Technical data

### Product information


<b>Product legal advice 1</b>	1) For precise conditions refer to: <a href="http://www.osram.com/am-guarantee">www.osram.com/am-guarantee</a>
<b>Product legal advice 2</b>	2) Please note: The use of dashcams may be subject to specific legal regulations, particularly with regard to data protection and personal rights. As regulations across Europe are not harmonized, there are varying rules regarding the admissibility of video recordings. Before using the device for the first time, whether domestically or abroad, we recommend familiarizing yourself with the applicable legal requirements in the respective country
<b>Resolution</b>	1296p
<b>FPS</b>	30 <sup>1)</sup>
<b>FOV</b>	140° <sup>2)</sup>
<b>Memory size up to</b>	128 GB
<b>G-Sensor</b>	Yes <sup>3)</sup>
<b>GPS</b>	Yes

1) Frames per second

2) Field of View

3) Shock sensor

### Physical Attributes & Dimensions



<b>Length</b>	89.0 mm
<b>Width</b>	40.0 mm
<b>Height</b>	96.0 mm

### In-Box Accessories

<b>USB cable for power</b>	Yes
<b>Trim removal tool in box</b>	Yes

## Product datasheet

Hard wire Kit	Yes
---------------	-----

### Hardware Features

Mount Type	3M™ Adhesive fitting
Screen Size	3"
Touchscreen	No

### Software Features

High Dynamic Range	Yes
Microphone	Yes
Time lapse feature	Yes
Parking Mode	Yes
Tamperproof lockable Micro SD Card slot	Yes
Rear Camera FOV	N/A

### Environmental & Regulatory Information


Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Candidate list substance 1	Lead
Safe use instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.
Declaration no. in SCIP database	In work

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4062172420365	ROADSIGHT PRO 20	Folding carton box 1	140 mm x 75 mm x 102 mm	1.07 dm <sup>3</sup>	322.00 g
4062172420372	ROADSIGHT PRO 20	Shipping carton box 4	296 mm x 166 mm x 132 mm	6.49 dm <sup>3</sup>	1788.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Download Data

File
 User instruction ROADsight PRO 20, ROADsight PRO 30

## Product datasheet



User instruction  
ROADsight PRO 20 / PRO 30



User instruction  
GPRS\_Safety symbols instructions

---

### Legal advice

For precise conditions please refer to: [www.osram.com/am-guarantee](http://www.osram.com/am-guarantee) Please note: The use of dashcams may be subject to specific legal regulations, particularly with regard to data protection and personal rights. As regulations across Europe are not harmonized, there are varying rules regarding the admissibility of video recordings. Before using the device for the first time, whether domestically or abroad, we recommend familiarizing yourself with the applicable legal requirements in the respective country.

### Application advice

For more detailed application information and graphics please see product datasheet.

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

# OSRAM