# **OSRAM**

# ORIGINAL - PLASTIC MF BASE -

## Original spare part





#### The cost-effective original spare parts

Discover our ORIGINAL signal lamps for printed circuit boards. These lamps with OSRAM's reliable OEM quality feature a wide product range and can be used for instrument and switch lighting.

#### Technical data

## **Product information**

Order reference	2352MFX6	
Application (Category and Product specific)	Auxiliary lamp	


#### **Electrical data**


Power input	2.13 W
Nominal voltage	12.0 V
Nominal wattage	2.00 W
Test voltage	13.5 V
Power input tolerance	±10 %

## Photometrical data

Luminous flux	11.8 lm
Luminous flux tolerance	±20 %

## **Dimensions & weight**





Diameter	5 mm
Product weight	0.74 g
Length	17.5 mm

## Colors & materials

## Lifespan

Lifespan B3	1500 h
Lifespan Tc	6000 h

#### Additional product data

Base (standard designation)	BX8.4d
-----------------------------	--------

## **Capabilities**

Thickness of PCB	1.25 mm	
Technology	AUX	

#### Certificates & standards

ECE category	
Approval marks – approval	-

## **Country specific categorizations**

	Order reference	2352MFX6
--	-----------------	----------

## Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4008321097149	OSRA2352MFX6	-	-	-
4008321097156	OSRA2352MFX6	-	-	-
4008321097149	OSRA2352MFX6	-	-	-

#### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321097149	ORIGINAL - PLASTIC MF BASE 2352MFX6	Unpacked 1	17 mm x 12 mm x 12 mm	0.00 dm <sup>3</sup>	1.00 g
4008321097156	ORIGINAL - PLASTIC MF BASE 2352MFX6	Folding carton box 10	46 mm x 29 mm x 112 mm	0.15 dm <sup>3</sup>	18.29 g
4008321097163	ORIGINAL - PLASTIC MF BASE 2352MFX6	Shipping carton box 50	148 mm x 115 mm x 55 mm	0.94 dm <sup>3</sup>	121.39 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### **Application advice**

For more detailed application information and graphics please see product datasheet.

#### Disclaime

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.















# **OSRAM**